Adamson, D. T., T. M. McGuire, C. J. Newell, and H. Stroo. 2010. “Sustained Treatment: Implications for Treatment Timescales Associated with Source-Depletion Technologies,” *Remediation Journal* **21**(2): 27–50.

AFCEE(Air Force Center for Engineering and the Environment). 2006. *Final Long-Term Optimization Guide*, vers. 1.2. Brooks City Base, Tex.: Environmental Restoration Division.

AFCEE. 2007. *Protocol for In Situ Bioremediation of Chlorinated Solvents Using Edible Oil*.

Allen, T. J., L. Katz, and G. Warner. 2005. “The Evolution of Groundwater Remediation Strategies at Air Force Plant 44, Tucson, Arizona,” presented at the 2005 Annual Symposium, Arizona Hydrological Society, Sept. 21–24.

Archibald, J. A., R. N. Hull, and M. Diamond. 2007. “Potential Importance of Inhalation Exposure for Wildlife Using Screening Level Ecological Risk Assessment,” *Human and Ecological Risk Assessment* **13**: 870–83.

Arizona Department of Environmental Quality. 2009. “Air Force Plant 44 (AFP-44)/Raytheon Project Area.” https://azdeq.gov/superfund/us-air-force-plant-44

Armstrong, A. T., R. A. Wymore, D. L. Dettmers, P. S. Lebow, K. L. Harris, and T. Wood. 2004. Annual Performance Report for In Situ Bioremediation Operations November 2002 to October 2003, Test Area North Operable Unit 1-07B. ICP/EXT-04-00122. Idaho Falls, Id.: Idaho National Engineering and Environmental Laboratory.

Arnold, W. A., and A. L. Roberts. 2000. “Pathways and Kinetics of Chlorinated Ethylene and Chlorinated Acetylene Reaction with Fe(0) Particles,” *Environmental Science and Technology* **34**: 1794–805.

Aziz J. J., M. Ling, H. S. Rifi, C. Newell, and J. R. Gonzales. 2003. “MAROS: A Decision Support System for Optimizing Monitoring Plans,” *Groundwater* **41**(3): 355–67.

Basu, N. B., A. D. Fure, and J. W. Jawitz. 2008. “Simplified Contaminant Source Depletion Models as Analogs for Multiphase Simulators,” *Journal of Contaminant Hydrology* **97**: 87– 99.

Battelle. 1999. *Performance Assessment Site Characterization for the Interagency DNAPL Consortium, Launch Complex 34, Cape Canaveral Air Station, Florida.* Prepared for the U.S. Air Force Research Laboratory, Tyndall Air Force Base, Fla.

Battelle. 2001. *Seventh Interim Report on the IDC Demonstration at Launch Complex 34, Cape Canaveral Air Station.* Prepared for the Interagency DNAPL Consortium.

Berkowitz, B. B., J. Bear, and C. Braester. 1988. “Continuum Models for Contaminant Transport in Fractured Porous Formulations,” *Water Resources Research* **24**(8): 1225–36.

Brusseau, M. L., E. L. DiFilippo, J. C. Marble, and M. Oostrom. 2008. “Mass Removal and Mass Flux Reduction Behavior for Idealized Source Zones with Hydraulically Poorly Accessible Immiscible Liquid,” *Chemosphere* **71**(8): 1511–21.

Bryant, D., and S. Haghebaert. 2008. “Full-Scale In Situ Chemical Oxidation Treatment of MGP Sites,” pp. 239–47 in *Gasworks Europe: Proceedings of the MGP 2008 Conference*, March 4–6, Dresden, Germany, P. Werner, B. Bilitewski, and N. Hüsers, eds.

Chapelle, F. H., and P. M. Bradley. 1998. “Selecting Remediation Goals by Assessing the Natural Attenuation Capacity of Ground-Water Systems,” Bioremediation Journal 2(3–4): 227–38.

Chapelle, F. H., M. A. Widdowson, J. S. Brauner, E. Mendez III, and C. C. Casey. 2003. *Methodology for Estimating Times of Remediation Associated with Monitored Natural Attenuation*. U.S. Geological Survey Water-Resources Investigation Report 03-4057.

Chapelle, F. H., M. A. Widdowson, J. S. Brauner, E. Mendez, and C. C. Casey. 2003. Methodology for Estimating Times of Remediation Associated with Monitored Natural Attenuation. U.S. Geological Survey Water-Resources Investigations Report 03-4067.

Chapelle, F. H., P. M. Bradley, and C. C. Casey. 2005. “Behavior of a Chlorinated Ethene Plume Following Source-Area Treatment with Fenton’s Reagent,” Ground Water Monitoring and Remediation 25(2): 131–41.

Chapman, S. W., and B. L. Parker. 2005. “Plume Persistence due to Aquitard Back Diffusion Following Dense Nonaqueous Phase Liquid Source Removal or Isolation,” *Water Resources Research* **41**: W12411, doi:10.1029/2005WR004224.

CChapman, S.W., Parker, B.L., Sale, T.C., Doner, L.A., 2012. Testing high resolution numerical models for analysis of contaminant storage and release from low permeability zones. Journal of Contaminant Hydrology 136-137, 106-116.

Cherry, J. A. 1997. “Conceptual Models for Chlorinated Solvent Plumes and Their Relevance to Intrinsic Remediation,” pp. 31–32 in Proceedings, Symposium on Natural Attenuation of Chlorinated Organics in Ground Water. EPA/540/R-97/504. Washington, D.C. U.S. Environmental Protection Agency, Office of Research and Development.

Chiogna, G., R. Massimo, O. A. Cirpka and P. Grathwohl. 2010. “Modeling Mixing-Controlled Reactive Transport: Importance of Compound Dependent Hydrodynamic and (Hydro)

Mecham, and J. S. Rothermel. 2006. “Remediation of a TCE Plume Using a Three- Component Strategy,” Practice Periodical of Hazardous, Toxic, and Radioactive Waste Management 10(2): 116–25.de Marsily, G., F. Delay, J Gonçalvès, P. Renard, V. Teles, and S. Violette. 2005. “Dealing with Spatial Heterogeneity,” *Hydrogeology Journal* **13**: 161–83.

Dettmers, D. L., T. W. Macbeth, K. S. Sorenson, Jr., L. O. Nelson, K. L. Harris, L. N. Peterson,

DiFilippo, E. L., and M. L. Brusseau. 2008. “Relationship Between Mass Flux Reduction and Source Zone Mass Removal: Analysis of Field Data,” *Journal of Contaminant Hydrology* **98**(1–2): 22–35.

DOE-ID (U.S. Department of Energy Idaho Operations Office). 1995. Record of Decision for the Technical Support Facility Injection Well (TSF-05) and Surrounding Groundwater Contamination (TSF-23) and Miscellaneous No Action Sites Final Remedial Action. DOE/ID-10139.

DOE-ID). 2001. Record of Decision Amendment for the Technical Support Facility Injection Well (TSF-05) and Surrounding Groundwater Contamination (TSF-23) and Miscellaneous No Action Sites Final Remedial Action. DOE/ID-10139, rev. 0.

DOE-ID. 2000. Field Demonstration Report, Test Area North Final Groundwater Remediation, Operable Unit 1-07B. Idaho Falls, Id.: Idaho National Engineering and Environmental Laboratory.

DOE-ID. 2002a. In Situ Bioremediation Remedial Action Work Plan for Test Area North Final Groundwater Remediation, Operable Unit 1-07B. DOE/ID-11015, rev. 0.

DOE-ID. 2002b. ISB Operations and Maintenance Plan for Test Area North, Operable Unit 1-07B. DOE/ID-11012, rev. 0.

Doran, G. T. 1981. “There’s a S.M.A.R.T. Way to Write Management’s Goals and Objectives,”*Management Review* **70**(11): 35–36.

Eddy-Dilek, C., B. Riha, D. Jackson, and J. Consort. 1998. *DNAPL Source Zone Characterization of Launch Complex 34, Cape Canaveral Air Station, Florida.* Prepared for Interagency DNAPL Consortium by Westinghouse Savannah River Company and MSE Technology Applications, Inc.

Eggleston, J. R., and S. A. Rojstaczer. 2000. “Can We Predict Subsurface Mass Transport?” *Environmental Science and Technology* **34**: 4010–17.

Einarson, M. D., and D. M. Mackay. 2001. “Predicting Impacts of Groundwater Contamination,” *Environmental Science and Technology* **36**(3): 66A–73A.

Emanuel, A. S., and W. J. Milliken. 1997. “Application of Streamtube Techniques to Full-Field Waterflooding Simulation,” *Society of Petroleum Engineers, Reservoir Engineering*, August: 211–17.

CFalta, R.W., Farhat, S.K., Newell, C.J., Lynch, K., 2018. REMChlor-MD Software Tool. Environmental Security Technology Certification Program (ESTCP) Project ER-201426. Farhat, S.K., Newell, C.J., Falta, R., Lynch, K., 2018. REMChlor-MD Users

Falta, R. W., M. B. Stacy, A. N. M. Ahsanuzzaman, M. Wang, and R. C. Earle. 2006. *REMChlor, Remediation Evaluation Model for Chlorinated Solvents, User’s Manual*. https://www.epa.gov/water-research/remediation-evaluation-model-chlorinated-solvents-remchlor

Falta, R. W., N. Basu, and P. S. Rao. 2005. “Assessing Impacts of Partial Mass Depletion in DNAPL Source Zones: II. Coupling Source Strength Functions to Plume Evolution,” *Journal Contaminant Hydrology* **79**(1–2): 45–66. www.ncbi.nlm.nih.gov/pubmed/16061307.

Finkel, M., R. Liedl, and G. Teutsch. 1998. “Modeling Surfactant-Enhanced Remediation of Polycyclic Aromatic Hydrocarbons,” *Environmental Modeling and Software* **14**(2–3): 203– 11.

Freeze, R. A., and J. A. Cherry. 1979. *Groundwater.* Englewood Cliffs, N.J.: Prentice Hall.

Friis, A. K. 2006. *The Potential for Reductive Dechlorination after Thermal Treatment of TCE Contaminated Aquifers.* Ph.D. thesis, Institute of Environment and Resources, Technical University of Denmark.

Friis, A. K., H.-J. Albrechtsen, and P. L. Bjerg. 2005. “Redox Processes and Release of Organic Matter after Thermal Treatment of a TCE-Contaminated Aquifer,” *Environmental Science and Technology* **39**: 5787–95.

Frippiat, C. C., and A. E. Holeyman. 2008. “A Comparative Review of Upscaling Methods for Solute Transport in Heterogeneous Porous Media,” *Journal of Hydrology* **362**(1–2): 150–76.

From Source Zones to Ecosystems, Proceedings of the 2000 Contaminated Site Remediation Conference, C. D. Johnston, ed. Wembley W. A., Australia: Centre for Groundwater Studies.

G&E Engineering, Inc. 1996. *RCRA RFI Work Plan for Launch Complex 34, Cape Canaveral Air Station, Brevard County, Florida.* Prepared for the National Aeronautics and Space Administration Environmental Program Office.

Geosyntec Consultants. 2004. *Assessing the Feasibility of DNAPL Source Zone Remediation: Review of Case Studies*. CR-04-002-ENV. Port Hueneme, Calif.: Naval Facilities Engineering Services Center.

Gilham, R. W., E. A. Sudicky, J. A. Cherry, and E. O. Frind. 1984. "An Advection-Diffusion Concept for Solute Transport in Heterogeneous Unconsolidated Geological Deposits," *Water Resources Research* **20**(3): 369–78.

Guilbeault, M. A., B. L. Parker, and J. A. Cherry. 2005. "Mass and Flux Distributions from DNAPL Zones in Sandy Aquifers," *Ground Water* **43**(1): 70–86.

CHadley, P.W., Newell, C., 2014. The New Potential for Understanding Groundwater Contaminant Transport. Groundwater 52, 174-186.

Hall, S. H., S. P. Luttrell, and W. E. Cronin. 1991. "A Method for Estimating Effective Porosity and Groundwater Velocity," *Ground Water* **29**(2): 171–74.

HydroGeoLogic. 1998. *MODFLOW-SURFACT, vers. 3.0: A Comprehensive MODFLOW-Based Flow and Transport Simulator.* Code documentation report. Reston, Va.

INEEL (Idaho National Engineering and Environmental Laboratory). 2000. Field Evaluation of Enhanced In Situ Bioremediation, Test Area North, Operable Unit 1-07B. INEEL/EXT- 2000-00258. Idaho Falls, Id.: Idaho National Engineering and Environmental Laboratory.

INEEL. 2003. In Situ Bioremediation Remedial Action Groundwater Monitoring Plan for Test Area North, Operable Unit 1-07B. INEEL/EXT-02-00779, rev. 2. Idaho Falls, Id.: Idaho National Engineering and Environmental Laboratory.

Iqbal, J., C. Metosh-Dickey, and R. J. Portier. 2007. "Temperature Effects on Bioremediation of PAHs and PCP-Contaminated South Louisiana Soils: A Laboratory Mesocosm Study," *Journal of Soils and Sediments* **7**(3): 153–58.

ITRC (Interstate Technology & Regulatory Council). 1999. *Regulatory Guidance for Permeable Reactive Barriers Designed to Remediate Inorganic and Radionuclide Contamination.* PRB-3. Washington, D.C.: Interstate Technology & Regulatory Council, Permeable Reactive Barriers Work Team. www.itrcweb.org.

ITRC (Interstate Technology & Regulatory Council). 2007. In Situ Bioremediation of Chlorinated Ethene DNAPL Source Zones: Case Studies. BioDNAPL-2. Washington, D.C.: Interstate Technology & Regulatory Council, Bioremediation of DNAPLs Team. www.itrcweb.org.

ITRC 2005a. *Permeable Reactive Barriers: Lessons Learned/New Directions.* PRB-4. Washington, D.C.: Interstate Technology & Regulatory Council, Permeable Reactive Barriers Team. www.itrcweb.org.

ITRC 2006b. *Data Management, Analysis, and Visualization Techniques.* RPO-5. Washington, D.C.: Interstate Technology & Regulatory Council, Remediation Process Optimization Team. www.itrcweb.org.

ITRC 2006d. *Life Cycle Cost Analysis.* RPO-2. Washington, D.C.: Interstate Technology & Regulatory Council, Remediation Process Optimization Team. www.itrcweb.org.

ITRC 2006e. *Performance-Based Management*. RPO-6. Washington, D.C.: Interstate Technology & Regulatory Council, Remediation Process Optimization Team. www.itrcweb.org.

ITRC 2006f. *Planning and Promoting Ecological Land Reuse of Remediated Sites.* ECO-2. Interstate Technology & Regulatory Council, Ecological Land Reuse Team. www.itrcweb.org.

ITRC. 2000a. *Design Guidance for Application of Permeable Reactive Barriers for Groundwater Remediation*. PBW-2. Washington, D.C.: Interstate Technology & Regulatory Council, Permeable Barriers Team. www.itrcweb.org.

ITRC. 2000b. *Technology Overview for Dense Non-Aqueous Phase Liquids (DNAPLs): Review of Emerging Characterization and Remediation Technologies*. DNAPLs-1. Washington, D.C.: Interstate Technology & Regulatory Council, DNAPLs/Chemical Oxidation Work Team. www.itrcweb.org.

ITRC. 2003. *Technical and Regulatory Guidance for Surfactant/Cosolvent Flushing of DNAPL Source Zones*. DNAPLs-3. Washington, D.C.: Interstate Technology & Regulatory Council, Dense Nonaqueous Phase Liquids Team. www.itrcweb.org.

ITRC. 2004a. *Remediation Process Optimization: Identifying Opportunities for Enhanced and More Efficient Site Remediation.* RPO-1. Washington, D.C.: Interstate Technology & Regulatory Council, Remediation Process Optimization Team. www.itrcweb.org.

ITRC. 2004b. *Strategies for Monitoring the Performance of DNAPL Source Zone Remedies.* DNAPLs-5. Washington, D.C.: Interstate Technology & Regulatory Council, Dense Nonaqueous-Phase Liquids Team. www.itrcweb.org.

ITRC. 2004c. *Technical and Regulatory Guidance for Using Polyethylene Diffusion Bag Samplers to Monitor Volatile Organic Compounds in Groundwater.* DSP-3. Washington, D.C.: Interstate Technology & Regulatory Council, Diffusion Sampler Team. www.itrcweb.org.

ITRC. 2005b. *Technical and Regulatory Guidance for In Situ Chemical Oxidation of Contaminated Soil and Groundwater*, 2nd ed. ISCO-2. Washington, D.C.: Interstate Technology & Regulatory Council, In Situ Chemical Oxidation Team. www.itrcweb.org.

ITRC. 2006a. *Above Ground Treatment Technologies.* RPO-4. Washington, D.C.: Interstate Technology & Regulatory Council, Remediation Process Optimization Team. www.itrcweb.org.

ITRC. 2006c. *Exit Strategy—Seeing the Forest beyond the Trees*. RPO-3. Washington, D.C.: Interstate Technology & Regulatory Council, Remediation Process Optimization Team. www.itrcweb.org.

ITRC. 2007a. *Improving Environmental Site Remediation Through Performance-Based Environmental Management*. RPO-7. Washington, D.C.: Interstate Technology & Regulatory Council, Remediation Process Optimization Team. www.itrcweb.org.

ITRC. 2007b. *Protocol for Use of Five Passive Samplers to Sample for a Variety of Contaminants in Groundwater.* DSP-5. Washington, D.C.: Interstate Technology & Regulatory Council, Diffusion/Passive Sampler Team. www.itrcweb.org.

ITRC. 2007c. *Vapor Intrusion Pathway: A Practical Guideline.* VI-1. Washington, D.C.: Interstate Technology & Regulatory Council, Vapor Intrusion Team. www.itrcweb.org.

ITRC. 2007d. *Vapor Intrusion Pathway: Investigative Approaches for Typical Scenarios (A Supplement to VI-1).* VI-1A. Washington, D.C.: Interstate Technology & Regulatory Council, Vapor Intrusion Team. www.itrcweb.org.

ITRC. 2008a. *Enhanced Attenuation: Chlorinated Organics.* EACO-1. Washington, D.C.: Interstate Technology & Regulatory Council, Enhanced Attenuation: Chlorinated Organics Team. www.itrcweb.org.

ITRC. 2008b. *In Situ Bioremediation of Chlorinated Ethene: DNAPL Source Zones.* BioDNAPL-3. Washington, D.C.: Interstate Technology & Regulatory Council, Bioremediation of DNAPLs Team. www.itrcweb.org.

ITRC. 2010a. *Mining Waste Treatment Technology Selection* website*.* MW-1. Interstate Technology & Regulatory Council, Mining Waste Team. www.itrcweb.org.

ITRC. 2010b. *Use and Measurement of Mass Flux and Mass Discharge.* MASSFLUX-1. Washington, D.C.: Interstate Technology & Regulatory Council, Integrated DNAPL Site Strategy Team. www.itrcweb.org.

ITRC. 2011a. *Development of Performance Specifications for Solidification/Stabilization*. SS-1. Interstate Technology & Regulatory Council, Solidification/Stabilization Team. www.itrcweb.org.

ITRC. 2011b. *Incorporating Bioavailability Considerations into the Evaluation of Contaminated Sediment Sites* website*.* CS-1. Interstate Technology & Regulatory Council, Contaminated Sediments–Bioavailability Team. www.itrcweb.org.

ITRC. 2011c. *Permeable Reactive Barrier: Technology Update*. PRB-5. Washington, D.C.: Interstate Technology & Regulatory Council, PRB: Technology Update Team. www.itrcweb.org.

Jawitz, J. W., M. D. Annable, G. G. Demmy, S. Berglund, P. S. C. Rao. 2005. "Groundwater Contaminant Flux Reduction Resulting from Nonaqueous Phase Liquid Mass Reduction," *Water Resources Research* **41**: W10408.

Johnson, R. L., P. G. Tratnyek, and R. O. Johnson. 2009. "Persulfate Persistence under Thermal Activation Conditions," *Environmental Science and Technology* **42**(24): 9350–56.

Kamath R., D. T. Adamson, C. J. Newell, K. M. Vangelas, and B. B. Looney. 2009. *Enhanced Attenuation Technologies: Passive Soil Vapor Extraction*. SRNL-STI-2009-00571. Aiken, S.C.: Savannah River National Laboratory. www.osti.gov.

Kavanaugh, M. C., P. S. C. Rao, L. Abriola, J. Cherry, G. Destouni, R. Falta, D. Major, J. Mercer, C. Newell, T. Sale, S. Shoemaker, R. Siegrist, G. Teutsch, and K. Udell. 2003. *The DNAPL Remediation Challenge: Is There a Case for Source Depletion*? EPA/600/R-03/143.

Kingston, J. L. T., P. R. Dahlen, and P. C. Johnson. 2010. "State-of-the-Practice Review of In Situ Thermal Technologies," *Ground Water Monitoring and Remediation* **30**: 64–72, doi:10.1111/j.1745-6592.2010.01305.x.

Konikow, L. F. 2011. "The Secret to Successful Solute-Transport Modeling," *Ground Water* **49**(2): 144–59.

Krembs, F. J. 2008. *Critical Analysis of the Field-Scale Application of In Situ Chemical Oxidation for the Remediation of Contaminated Groundwater*. Thesis submitted to the Colorado School of Mines, Golden, Colo.

Krembs, F. J., R. L. Siegrist, M. L. Crimi, R. F. Furrer, and B. G. Petri. 2010. "ISCO for Groundwater Remediation: Analysis of Field Applications and Performance," *Groundwater Monitoring and Remediation* **30**(4): 42–53, doi:10.1111/j1745-6592.2010.01312.x.

Kueper, B. H., and K. Davie 2009. *Assessment and Delineation of DNAPL Source Zones at Hazardous Waste Sites.* EPA/600/R-09/119. Cincinnati: USEPA National Risk Assessment Research Laboratory.

LeBlanc, D. R., S. P. Garabedian, K. M. Hess, L. W. Gelhar, R. W. Quadri, K. G. Stollenwerk, and W. W. Wood. 1991. "Large-Scale Natural Gradient Tracer Test in Sand and Gravel, Cape Cod, Massachusetts: Experimental Design and

Observed Tracer Movement," *Water Resources Research* **27**(5): 895–910.

Lebrón C., D. Major, and B. Kueper. 2008. *DNAPL Technology Evaluation Screening Tool (DNAPL TEST)*, vers. Beta1.0 2008-02-15. Developed by Geosyntec Consultants, Naval Facilities Engineering Service Center, Queen's University, and University of Edinburgh for

Lenormand, R. 1995. "A Stream Tube Model for Miscible Flow: Part I," *Transport in Porous Media* **18**(3): 245–61, doi:10.1007/BF00616934.

Lenormand, R., and B. Wang. 1995. "A Stream Tube Model for Miscible Flow: Part II," *Transport in Porous Media* **18**(3): 263–82, doi:10.1007/BF00616935.

Liang, H., R. Falta, C. Newell, S. Farhat, S. Rao, and N. Basu. 2010. *Decision and Management Tools for DNAPL Sites: Optimization of Chlorinated Solvent Source and Plume Remediation Considering Uncertainty* (draft final report). ESTCP Project ER-0704.

Macbeth, T. W., D. E. Cummings, S. Spring, L. M. Petzke, and K. S. Sorenson, Jr. 2004. "Molecular Characterization of a Dechlorinating Community Resulting from In Situ Biostimulation in a TCE-Contaminated Deep Fractured Basalt Aquifer and Comparison to a Derivative Laboratory Culture," Applied and Environmental Microbiology 70(12): 7329–41.

Macbeth, T. W., L. O. Nelson, J. S. Rothermel, R. A. Wymore, and K. S. Sorenson. 2006. "Evaluation of Whey for Bioremediation of Trichloroethene Source Zones," *Bioremediation Journal* **10**(3): 115–28.

Macbeth, T. W., L. O. Nelson, J. S. Rothermel, R. A. Wymore, and K. S. Sorenson. 2006. "Evaluation of Whey for Bioremediation of Trichloroethene Source Zones," Bioremediation Journal 10(3): 115–28.

CMa, J., McHugh, T., Beckley, L., Lahvis, M., DeVaull, G., Jiang, L., 2020. Vapor Intrusion Investigations and Decision-

Mackay, D. 1991. *Multimedia Environmental Models: The Fugacity Approach*. Chelsea, Mich.: Lewis.

Mackay, D. M., D. L. Freyberg, P. V. Roberts, and J. A. Cherry. 1986. "A Natural Gradient Experiment on Solute Transport in a Sand Aquifer: 1. Approach and Overview of Tracer Movement," *Water Resources Research* **22**(13): 2017–29.

CM.A. Seyedabbasi, M. Vanderkooy, M. McMaster, G. Wealthall, T.C. Sale, C.J. Newell (2014) 14-Compartment Model Toolkit, prepared for the Strategic

Martin, J. P., K. S. Sorenson, Jr., and L. N. Peterson. 2001. "Favoring Efficient In Situ TCE Dechlorination through Amendment Injection Strategy," pp. 265–72 in Anaerobic Degradation of Chlorinated Solvents, V. Magar, D. Fennell, J. L. Morse, B. Alleman, and A. Leeson, eds. Columbus, Ohio: Battelle Press.

McGuire, T. M., C. J. Newell, B. B. Looney, K. M. Vangelas, and C. H. Sink. 2004. "Historical Analysis of Monitored Natural Attenuation: A Survey of 191 Chlorinated Solvent Sites and 45 Solvent Plumes," *Remediation* **15**(1): 99–112.

McGuire, T. M., J. M. McDade, and C. J. Newell. 2006. "Performance of DNAPL Source Depletion Technologies at 59 Chlorinated Solvent-Impact Sites," *Ground Water Monitoring and Remediation* **26**(1): 73–84.

CMcGuire, T., Adamson, D., Newell, C., Kulkarni, P., 2016. Performance and Costs for In-Situ Remediation at 235 Sites. Environmental Security Technology and Certification Program ER-201120

Mechanical Transverse Dispersion," presented at the 18th International Conference on Water Resources, Barcelona.

Mercado, A., and E. Halvey. 1966. "Determination of the Average Porosity and Permeability of a Stratified Aquifer with the Aid of Radioactive Tracers," *Water Resources Research* **2**(3): 525–31.

NAVFAC (Naval Facilities Engineering Command). 2004. *Guidance for Optimizing Remedy Evaluation, Selection, and Design: User's Guide.* UG-2060-ENV. Columbus, Ohio: Battelle.

NAVFAC. 2007. *DNAPL Management Overview.* Port Hueneme, Calif.

NAVFAC. 2008. G*roundwater Risk Management Handbook.* https://frtr.gov/matrix/documents/Monitored-Natural-Attenuation/2008-Groundwater-Risk-Management-Handbook.pdf

NAVFAC. 2010a. *Department of the Navy Guidance for Planning and Optimizing Monitoring Strategies*. User Guide UG-2081-ENV, rev.1. https://frtr.gov/matrix/documents/Monitored-Natural-Attenuation/2010-Guidance-for-Planning-and-Optimization-of-Remedial-Strategies.pdf.

NAVFAC. 2010b. *Guidance for Optimizing Remedy Evaluation, Selection, and Design*. Final User's Guide UG-2087-ENV. https://clu-in.org/download/combinedremedies/DNAPL-EV-UG-2087-2010.pdf.

Newell, C. J., I. Cowie, T. M. McGuire, and W. McNab. 2006. "Multi-Year Temporal Changes in Chlorinated Solvent Concentrations at 23 MNA Sites," *Journal of Environmental Engineering* **132**(6): 653–63.

NRC (National Research Council). 1997. *Barrier Technologies for Environmental Management*.

NRC. 2005. *Contaminants in the Subsurface: Source Zone Assessment and Remediation.* Committee on Source Removal of Contaminants in the Subsurface. Washington, D.C.: National Academies Press.

Olson, M., and T. Sale. 2009. "In Situ Remediation of Chlorinated Solvent Source Zones via ZVI-Clay Soil Mixing," poster presented at SERDP/ESTCP Partners Conference, Washington, D.C.

Pall Aeropower. 2009a. *Site Assessment Report and Addendum—Former Pall Aeropower Site, 6301 49th Street North, Pinellas Park, Fl. F.A.C. Facility ID No. OGC#01-2016. FDEP Project No. 270049*, Vol. 1. *Text, Figures, and Tables*. Project No. G04155.

Pall Aeropower. 2009b. *Groundwater Assessment, Treatment, and Monitoring Report, Former Pall Aeropower Site, 6301 49th Street North, Pinellas Park, Fl.* Project # G04155.

Pall Aeropower. 2010. *Chronological Summary of Interim Source Removal Actions,* Table 15.

Pankow, J. F., and J. A. Cherry. 1996. *Dense Chlorinated Solvents and other DNAPLs in Groundwater.* Portland, Ore.: Waterloo Press.

Parker, B. L., R. W. Gillham, and J. A. Cherry. 1994. "Diffusive Disappearance of Immiscible- Phase Organic Liquids in Fractured Geologic Media," *Ground Water* **32**(5): 805–20.

Parker, B. L., S. W. Chapman, and M. A. Guilbeault. 2008. "Plume Persistence Caused by Back Diffusion from Thin Clay Layers in a Sand Aquifer Following TCE Source Zone Hydraulic Isolation," *Journal of Contaminant Hydrology* **102**(1–2): 86–104, doi:10.1016/ j.jconhyd.2008.07.003.

Parkhurst, D. L., and C. A. J. Appelo. 1999. *User's Guide to PHREEQC (vers. 2): A Computer Program for Speciation, Reaction-Path, 1D-Transport, and Inverse Geochemical Calculations.* USGS Water Resource Investigative Report 99-4259.

Payne, F. C., J. A. Quinnan, and S. T. Potter. 2008. *Remediation Hydraulics*. Boca Raton, Fla.: CRC Press.

Pennell, K., F. Loffler, J. Constanza, K. Fletcher, N. Ramaswamy, G. Otano, and J. Callaghan. 2009. *Investigation of Chemical Reactivity, Mass Recovery, and Biological Activity During Thermal Treatment of DNAPL Source Zones.* SERDP Project ER-1419. http://docs.serdp- estcp.org/index.cfm.

Puls, R., M. Olson, and T. Sale. 2006. "ZVI-Clay Soil Mixing Treats DNAPL Source Area at 35- Foot Depth," *Technology News and Trends* website. www.clu- in.org/products/newsltrs/tnandt/view.cfm?issue=0206.cfm#2.

Rahm, B. G., S. Chauhan, V. F. Holmes, T. W. Macbeth, K. S. Sorenson, Jr., and L. Alvarez- Cohen. 2005. "Molecular Characterization of Microbial Populations at Two Sites with Differing Reductive Dechlorination Abilities," Biodegradation 17(6): 523–34.

Reynolds, D. A., and B. H. Kueper. 2001. "Multiphase Flow and Transport in Fractured Clay/ Sand Sequences," *Journal of Contaminant Hydrology* **51**(1–2): 41–62.

Rivett, M. O., S. Feenstra, and J. A. Cherry. 2001. "A Controlled Field Experiment on Groundwater Contamination by a Multicomponent DNAPL: Creation of the Emplaced- Source and Overview of Dissolved Plume Development," *Journal of Contaminant Hydrology* **49**(1–2): 111–49.

Roberts, A. L., L. A. Totten, W. A. Arnold, D. R. Burris, and T. J. Campbell. 1996. "Reductive Elimination of Chlorinated Ethylenes by Zero-Valent Metals," *Environmental Science and Technology* **30**: 2654–59.

Ryan, S. 2010. *Dense Nonaqueous Phase Liquid Cleanup: Accomplishments at Twelve NPL Sites*. Prepared for U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Technology Innovation and Field Services Division. www.clu- in.org/download/studentpapers/Serena-Ryan-dnapl-npl.pdf.

Ryan, S. 2010. *Dense Nonaqueous Phase Liquid Cleanup: Accomplishments at Twelve NPL Sites*. Prepared for U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Technology Innovation and Field Services Division. www.clu- in.org/download/studentpapers/Serena-Ryan-dnapl-npl.pdf.

Sale, T. C., and C. Newell. 2011. *Guide for Selecting Remedies for Subsurface Releases of Chlorinated Solvents*. ESTCP Project ER-200530.

Sale, T. C., and D. B. McWhorter. 2001. "Steady State Mass Transfer from Single-Component Dense Nonaqueous Phase Liquid in Uniform Flow Fields," *Water Resources Research* **37**(2): 393–404. https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2000WR900236

Sale, T. C., C. Newell, H. Stroo, R. Hinchee, and P. Johnson. 2008. *Frequently Asked Questions Regarding Management of Chlorinated Solvents In Soils and Groundwater*. Environmental Security Technology Certification Program.

CSERDP/ESTCP (Strategic Environmental Research and Development Program/Environmental Security Technology

Certification Program). 2010. *Measurement and Use of Mass Discharge and Mass Flux at Contaminated Sites.* On-demand video. www.serdp- estcp.org/Tools-and-Training/Environmental-Restoration/Monitoring-and-Characterization/Mass-Flux-On-Demand-Video.

Shoemaker, W. B., E. L. Kuniansky, S. Birk, S. Bauer, and E. D. Swain. 2008. *Documentation of a Conduit Flow Process (CFP) for MODFLOW-2005.* U.S. Geological Survey Techniques and Methods, Book 6, Chapter A24.

Simunek, J., M. Sejna, and M. T. van Genuchten. 1999. *The Hydrus-2D Software Package for Simulating Two-Dimensional Movement of Water, Heat, and Multiple Solutes in Variably Saturated Media,* vers. 2.0. IGWMC-TPS-53. Golden, Colo.: Colorado School of Mines, International Ground Water Modeling Center.

Song, D. L., M. E. Conrad, K. S. Sorenson, Jr., and L. Alvarez-Cohen. 2002. "Stable Carbon Isotope Fractionation during Enhanced In Situ Bioremediation of Trichloroethene," Environmental Science and Technology 36(10): 2262–68.

Sorenson, K. S., Jr. 2000. Intrinsic and Enhanced In Situ Biodegradation of Trichloroethene in a Deep, Fractured Basalt Aquifer. Ph.D. dissertation, University of Idaho.

Sorenson, K. S., Jr., 2002. "Enhanced Bioremediation for Treatment of Chlorinated Solvent Residual Source Areas," pp. 119–31 in Innovative Strategies for the Remediation of Chlorinated Solvents and DNAPLs in the Subsurface, S. M. Henry and S. D. Warner, eds. ACS Symposium Series 837. Washington, D.C.: American Chemical Society Books.

Sorenson, K. S., Jr., L. N. Peterson, and R. L. Ely. 2000. "Enhanced In Situ Bioremediation of a TCE Source Area in Deep, Fractured Rock," pp. 621–28 in Contaminated Site Remediation:

Sowers, G. F. 1981. "Rock Permeability or Hydraulic Conductivity: An Overview," pp 65–83 in *Permeability and Groundwater Contaminant Transport*, T. F. Zimmie and C. O. Riggs, eds. ASTM STP 746. Philadelphia: American Society for Testing and Materials.

Stephens, D. B., K.-C. Hsu, M. A. Prieksat, M. D. Ankeny, N. Blandford, T. L. Roth, J. A. Kelsey, and J. R. Whitworth. 1998. "Comparison of Estimated and Calculated Effective Porosity," *Hydrogeology Journal* **6**: 156–65.

Stroo, H. F., M. Unger, C. H. Ward, M. C. Kavanaugh, and B. P. Smith. 2003. "Remediating Chlorinated Solvents," *Environmental Science and Technology* **37**(11): 224A–30A.

Stroo, H., and C. H. Ward. 2010. *In Situ Remediation of Chlorinated Solvent Plumes*. New York: Springer.

Sudicky, E. A. 1986. "A Natural Gradient Experiment on Solute Transport in a Sand Aquifer: Spatial Variability of Hydraulic Conductivity and Its Role in the Dispersion Process," *Water Resources Research* **22**: 2069–82.

Theis, C. V. 1967. "Aquifers and Models," p. 138 in *Proceedings, Symposium on Groundwater Hydrology*, American Water Resources Association.

TN&A (T N & Associates, Inc.). 2004. *Final Feasibility Study Report, Pemaco Superfund Site, 5050 E. Slauson Blvd., Maywood, CA.* http://yosemite.epa.gov/r9/sfund/r9sfdocw.nsf/3dc283e6c5d6056f88257426007417a2/93f5ba4e2205be958825727b006e6276/$FILE/Pemaco%20Feasibility%20Study.pdf

TN&A. 2008. *Annual Operations Report for 2007, Pemaco Superfund Site, Maywood, California*.

TN&A. 2009. *Electrical Resistance Heating Summary Report, Pemaco Superfund Site, Maywood, California.://yosemite.epa.gov/r9/sfund/r9sfdocw.nsf/3dc283e6c5d6056f88257426007417a2/7e5c873676b1315c882576ce0003839d/$FILE/Pemaco%20ROD%2001_2005.pdf*

Truex, M. J., J. M. Gillie, J. G. Powers, and K. P. Lynch. 2009. "Assessment of In Situ Thermal Treatment for Chlorinated Organic Source Zones," *Remediation Journal* **19**(2): 7–17.

Truex, M. J., T. W. Macbeth, V. R. Vermeul, B. G. Fritz, D. P. Mendoza, R. D. Mackley, T. W. Wietsma, G. Sandberg, T. Powers, E. Pitre, M. Michalsen, S. J. Ballock-Dixon, L. Zhong, and M. Oostrom. 2011. "Demonstration of Combined Zero-Valent Iron and Electrical Resistance Heating for In Situ Trichloroethene Remediation," *Environmental Science and Technology* **45**: 5346–51.

U.S. Army Engineer Research and Development Center Contract Report, Vicksburg, Miss. U.S. DOD Environmental Security Technology Certification Program Project ER-0424.

USACE (U.S. Army Corps of Engineers). 1999a. *Engineering and Design: Multiphase Extraction.* EM 1110-1-4010. https://www.publications.usace.army.mil/Portals/76/Publications/EngineerManuals/EM_1110-1-4010.pdf.

CUSACE (U.S. Army Corps of Engineers). 2001. Superfund Five-Year Review Report, Gold Coast Oil Company, Inc., Miami, Dade County Florida. https://semspub.epa.gov/work/04/10498229.pdf

USACE (U.S. Army Corps of Engineers). 2007. *In Situ Thermal Remediation (Electrical Resistance Heating), East Gate Disposal Yard, Ft. Lewis, Washington*.

USACE. 1999b. *U.S. Army Corps of Engineers Remediation System Checklist*. www.environmental.usace.army.mil/pdf/Genres.pdf.

USACE. 2008. *Safety and Health Requirements* Manual. EM 385-1-1. www.pennagc.com/EM-385-1-1/EM385-1-1FINAL[1].pdf.

USEPA (U.S. Environmental Protection Agency). 1998. Cost and Performance Summary Report—Gold Coast Soil Superfund Site, Miami, Florida. www.frtr.gov

USEPA (U.S. Environmental Protection Agency). 1998. *Evaluation of Subsurface Engineered Barriers at Waste Sites*. EPA/542/R-98/005.

USEPA (U.S. Environmental Protection Agency). 1998. *Pump and Treat of Contaminated Groundwater at the Western Processing Superfund Site, Kent, Washington.* http://costperformance.org/pdf/Western_Processing.pdf.

USEPA (U.S. Environmental Protection Agency). 2004. DNAPL Remediation: Selected Projects Approaching Regulatory Closure. EPA/542/R-04/016.

USEPA (U.S. Environmental Protection Agency). 2005. "Expedited Site Characterization of Mixed Chlorinated Solvents and Petroleum Dense Non-Aqueous Phase Liquid (DNAPL) Using Multiple investigative Techniques in Conjunction with Mobile and Fixed Labs at Fort Lewis Logistics Center, Fort Lewis WA." www.triadcentral.org/user/includes/dsp_profile.cfm?Project_ID=13#SiteInfo.

CUSEPA (U.S. Environmental Protection Agency). 2005. *Record of Decision, Pemaco Superfund Site, Maywood, California.*.

USEPA (U.S. Environmental Protection Agency). 2009. *Amendment #2 to the Record of Decision for the Commencement Bay–South Tacoma Channel Superfund Site*, *Operable Unit 1, Well 12A, Tacoma, Washington*. Region 10, Seattle. https://semspub.epa.gov/work/10/500010097.pdf

USEPA (U.S. Environmental Protection Agency). 2009. *Sequential In Situ Chem/Ox and ERD Treatment of Groundwater Destroys CVOCs*. Technology Innovation and Field Services Division. www.cluin.org/products/newsltrs/tnandt/view.cfm?issue=1209.cfm.

USEPA. 1999. *Groundwater Cleanup: Overview of Operating Experience of 28 Sites.* EPA/542/R-99/006. www.epa.gov/tio/download/remed/ovopex.pdf.

USEPA. 2002. *Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soils*. EPA/530/F-02/052. Washington, D.C.: Office of Solid Waste and Emergency Response.

USEPA. 2004. *Performance Monitoring of MNA Remedies for VOCs in Groundwater.* EPA/600/R-04/027. Washington, D.C.: Office of Research and Development. https://semspub.epa.gov/work/05/249629.pdf

USEPA. 2005a. *Roadmap to Long-Term Monitoring Optimization.* EPA/542/R-05/003. www.cluin.org/download/char/542-r-05-003.pdf.

USEPA. 2005b. *Uniform Federal Policy for Quality Assurance Project Plans: Evaluating Assessing, and Documenting Environmental Data Collection and Use Programs*. EPA/505/B-04/900A. www.epa.gov/sites/default/files/documents/ufp_qapp_v1_0305.pdf

USEPA. 2006. *Guidance on Systematic Planning Using the Data Quality Objectives Process: EPA QA/G4*. EPA/240/B-06/001. www.epa.gov/sites/production/files/2015-06/documents/g4-final.pdf

USEPA. 2007. *Third Five-Year Review Report for Fort Lewis CERCLA Sites, Pierce County, Washington*. https://semspub.epa.gov/work/HQ/179608.pdf

USEPA. 2008. *A Guide for Assessing Biodegradation and Source Identification of Organic Ground Water Contaminants Using Compound Specific Isotope Analysis (CSIA).* EPA/600/R-08/148. https://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=202171

USEPA. 2008. *Fourth Five-Year Review Report for Western Processing Superfund Site.* https://semspub.epa.gov/work/10/1280288.pdf

USEPA. 2009a. *DNAPL Remediation: Selected Projects Where Regulatory Closure Goals Have Been Achieved*. EPA/542/R-09/008. www.clu-in.org/download/remed/542r09008.pdf.

USEPA. 2009b. *Statistical Analysis of Groundwater Monitoring Date at RCRA Facilities: UnifiedcGuidance*. EPA/530/R-09/007. www.epa.gov/osw/hazard/correctiveaction/resources/guidance/sitechar/gwstats/unified- guid.pdf.

USEPA. 2010. "Fort Lewis Logistics Center, Washington, EPA ID# WA7210090067." http://yosemite.epa.gov/r10/nplpad.nsf/epaid/wa7210090067.

USEPA. 2010. *First Five-Year Review Report for Pemaco Superfund Site, Maywood California*. SDMS DOCID# 1123240.

https://semspub.epa.gov/work/09/1123240.pdf

USEPA. In press. *Environmental Cleanup Best Management Practices: Effective Use of the Life Cycle Conceptual Site Model*. EPA/542/F-11/011.

USEPA. n.d. "Commencement Bay–South Tacoma Channel," Region 10 Web page. http://yosemite.epa.gov/r10/cleanup.nsf/4c5259381f6b967d88256b5800611592/d3c814fe6394c2ba882565220048abb2!OpenDocument#Site%20History.

USEPA. n.d. "Dense Nonaqueous Phase Liquids (DNAPLs): Treatment Trains." www.clu-in.org/contaminantfocus/default.focus/sec/Dense_Nonaqueous_Phase_Liquids_(DNAPLs)/c

USEPA. n.d. "Pemaco." Region 9: Superfund. http://yosemite.epa.gov/r9/sfund/r9sfdocw.nsf/ViewByEPAID/cad980737092?OpenDocument

CUSEPA, 2015. Technical Guide for Assessing and Mitigating the Vapor Intrusion Pathway from Subsurface Vapor Sources to Indoor Air. https://www.epa.gov/vaporintrusion/technical-guide-assessing-and-mitigating-vapor-intrusion-pathway-subsurface-vapor.

CUSEPA, 2019. Screening Level Implementation of the Johnson and Ettinger Vapor Intrusion Model – Reverse Calculation of Target Media Concentrations.https://www3.epa.gov/ceampubl/learn2model/part-two/onsite/JnE_lite.html

USGS (U.S. Geological Survey). n.d. "Multidisciplinary Characterization of Contaminant Transport in Fractured Rock, Mirror Lake, New Hampshire." http://toxics.usgs.gov/sites/mirror_page.html.

van Genuchten, M. T. 1985. "A General Approach for Modeling Solute Transport in Structured Soils," *Memoires International Association of Hydrology* **17**(2): 513–526.

Warren, J. E., and P. J. Root. 1963. "The Behavior of Naturally Fractured Reservoirs," *Society of Petroleum Engineers Journal* **3**: 245–55. Washington, D.C.: National Academies Press.

Wiedemeier, T. H., H. S. Rifai, C. J. Newell, and J. W. Wilson. 1999. *Natural Attenuation of Fuels and Chlorinated Solvents.* New York: Wiley.

Wilson, J. L., S. H. Conrad, W. R. Mason, W. Peplinski, and E. Hafgan. 1990. *Laboratory Investigations of Residual Liquid Organics from Spills, Leaks, and the Disposal of Hazardous Wastes in Groundwater.* EPA/600/6-90/004.

Wood, T., R. Wymore, J. P. Martin, K. S. Sorenson, Jr., and D. B. Blackwelder. 2003. "Alternate Electron Donor Evaluation for Enhanced In Situ Bioremediation, INEEL," in Proceedings of the 8th International In Situ and On-Site Bioremediation Symposium. Columbus, Ohio: Battelle Press.

Wymore, R. A., J. M. Bukowski, and K. S. Sorenson, Jr. 2000. Site Conceptual Model: 1998 and 1999 Activities, Data Analysis, and Interpretation for Test Area North Operable Unit 1-07B. INEEL/EXT-2000-00188. Idaho Falls, Id.: Idaho National Engineering and Environmental Laboratory.

Zheng, C., and G. D. Bennett. 1995. *Applied Contaminant Transport Modeling: Theory and Practice*. New York: Wiley.

Zheng, C., and P. P. Wang. 1999. *MT3DMS, A Modular Three-Dimensional Multi-Species Transport Model for Simulation of Advection, Dispersion and Chemical Reactions of Contaminants in Groundwater Systems: Documentation and User's Guide.* SERDP-99-1.